MONUMENT 16

CERTIFICATE OF LOCATION NOTE: TWO LOCATIONS FOR THIS CORNER North Quarter Corner of Section 5, Townsh Ramsey, State of Minnesota. At the corner location shown on the sketch	R HAVE BEEN PERPETUATED (SEE BELOW)	
☐ On June 13, 2017 found a granite m	nonument.	
	nonument removed monument (explain)	
	—	
☐ On June 13, 2017 placed a <u>cast iron</u>	manhole assembly over granite monument.	
SKETCH OF RE	FERENCE TIES	
	\	
	1995	
GRAVEL DRIVEWAY	Location	
GRAVEL DRIVEWAT	/ /	
	○ 1940 Granite	
NAIL AND DISK IN 8	Location / (currently /	
INCH ASH TREE, SOUTH WEST FACE UP 3 FEET.	monumented) (Mail AND DISK IN	
N47°23'45"W	12 INCH ASH TREE, SOUTHEAST FACE	
43.26	UP 5 FEET.	
	68	
(ASH	58.0452"E	
(ASII)	N66° 04° STREET)	
	\$55° ROAD J	
COUNTY	ROAD J	
	2001	
S38°09'33"W		
41.84 NAIL AND DISK IN		
16 INCH ASH TREE,	\rightarrow	
NORTHWEST FACE UP 3 FEET.	NAIL AND RAMSEY COUNTY	
DISK IN 10 INCH WOOD		
RAMSEY COUNTY	SIGN POST, NORTHEAST Z FACE UP 2.5 FEET.	
NAD83 (1986) NAD83 (2011)	I 200 1 200 1 10 10 10 10 10 10 10 10 10 10 10 10	
Northing = 221547.107 Northing = 221547.990	ALL DISTANCES ARE SHOWN IN U.S. SURVEY FEET. BEARINGS ARE FOR TIE REFERENCE PURPOSES ONLY.	
Easting = 579171.513 Easting = 579171.112		
Statements of evidence relative to this	s corner are on the following page.	
I hereby certify that this survey, plan, or report	OFFICE OF COUNTY SURVEYOR	
was prepared by me or under my direct	County of Ramsey	
supervision, that I am a duly Licensed Land	I horoby cartify that this document was filed in the	
Surveyor under the laws of the state of Minnesota,	I hereby certify that this document was filed in the	
and that this certificate is correct and complete to	County Surveyor's office this day of	
the best of my knowledge and belief.		
Nm/ 1, 12 8/17/2 1 1 19 10		
Daniel D. Baar Date		
Ramsey County Surveyor	Daniel D. Baar, L.S.	
Minnesota License No. 45816	Ramsey County Surveyor	

MONUMENT 16

	MONUMENT 16
North Quarter Corner of Section 5, Township 30 North, Range 22 West	
August 20, 1847	West of South side Section 32, at 40.00 chains, set a post at 1/4 Section Corner. Birch 8 N89W 257; B. Oak 8 N63E 113. Henry A. Wiltse, Deputy Surveyor
June 6, 1940	Found iron 3 feet below road surface and placed monument over iron. Ramsey County Engineer's Office
November, 1954	Checked monument. Ramsey County Engineer's Office
April, 1965	Reset monument. Ramsey County Engineer's Office
May 16, 1974	Found a railroad spike over a granite monument, down 0.7 feet. Drilled a larger hole in top of granite monument and cemented a cast iron cap and bolt on top. Ramsey County Surveyor's Office
July 3, 1974	Retied monument. Ramsey County Surveyor's Office
July 13, 1987	Found cap missing. Monument down 0.3 feet. Ramsey County Surveyor's Office
Unknown Date	Replaced cap. Ramsey County Surveyor's Office
April, 1990	Tied out monument for removal during construction. Ramsey County Surveyor's Office
May 7, 1990	Removed cast iron cap. Ramsey County Surveyor's Office
September 5, 1990	Found broken granite monument down +/- 18 inches. Ramsey County Surveyor's Office
October 30, 1990	Placed a 4 and 5/8 inch cast iron monument in cement and rock. Ramsey County Surveyor's Office
October 16, 1991	Placed a sign and post South +/- 26 feet. Ramsey County Surveyor's Office
January 27, 1993	Retied monument. Ramsey County Surveyor's Office
July 26, 1995	Placed an 8 inch cast iron monument marked "3rd Correction Line" in cement 0.31 feet North of granite location. Ramsey County Surveyor's Office
October 8, 1998	Retied "3rd Correction Line" cast iron monument. Ramsey County Surveyor's Office
June 25, 2004	Retied "3rd Correction Line" cast iron monument. Ramsey County Surveyor's Office

MONUMENT 16

North Quarter Corner of Section 5, Township 30 North, Range 22 West	
September 23, 2009	Found "3rd Correction Line" cast iron monument, down +/- 0.10 feet. Retied monument. Ramsey County Surveyor's Office
April 22, 2014	Found "3rd Correction Line" cast iron monument, down 0.10 feet. Checked ties using certificate of location dated September 23, 2009. All ties present and in good condition. Ramsey County Surveyor's Office
July 13, 2017	"3rd Correction Line" cast iron monument removed during road construction. Installed a cast iron manhole assembly over granite monument and tied granite monument. Ramsey County Surveyor's Office
August 31, 2020	Checked monument; all ties present. Ramsey County Surveyor's Office