

SEC 2

5573. tree
5135. tree
28.21. tree

575.
42.57. tree
68.36. tree

tree. 5733
63.03. tree
460.58

tree. 40.01
81.95. tree
ANGLE TO L 6°15'

tree. 81.60
340
ANGLE TO L 6°20'

tree. 52.44

post. 43.50
530
ANGLE TO R 6°20'

tree. 49.69
270
45.96. tree
ANGLE TO R 5° 5'

41.89. tree

940

35.44. post
ANGLE TO L 4°50'

tree. 34.20
34.82. post
86°20'

tree. 62.65
705.

88°15'

1277.26

tree. 38.13
5783. tree
ANGLE TO L 8°27'

1346

79. post
70.50
47.35. post
1000.

68.20. house

In Establishing the NW corner of Sec. 2 found part of old Government witness stump and fixed Sec. cor. and set monument. Apr. 1895

In Establishing the $\frac{1}{4}$ cor. between Sec. 2. T 29 R 22 and Sec. 35 T 30 R 22 found old Government witness stump and fixed $\frac{1}{4}$ cor. and set monument. Apr. 1895

In Establishing the $\frac{1}{4}$ cor. between Sec. 1 and 2 found Government witness tree standing and also found old oak stake. Set monument Apr 10 - 1895

In Establishing the $\frac{1}{4}$ cor. between 2 and 11 one old Government witness tree standing and also found old oak stake at $\frac{1}{4}$ cor. and set monument. July 1896

Made Survey of White Bear Road through Section 2 in July - 1896 see Page 11

The South West corner of Section 2 was fixed in July 1896 Set monument.

The $\frac{1}{4}$ corner between Sections 2 and 3 was fixed from line of old fence. Set monument Apr 1895

In Establishing the North East corner of Section 2. Ran straight line from corner to corner East and West and fixed corner half way. Set monument July 20 1898

In Establishing the South East corner of Section 2 Found two Government trees. Dec 27 - 1898
Set monument Dec. 1899

Fixed the center of Sec. 2 by Intersection and set Mont. July 1896