

17

LAKE  
GILFILLAN

MINNEAPOLIS ST. PAUL & SOD STE MARIE

350.3 from West rail on E of Road to Mont.

44.59  
F.P.  
111.90

46.46  
35.12

2630.82

27.67  
34.90  
35.10  
772  
1108'

54.09  
36.92  
1315.41

38.51  
32.81  
12 Oak

3 nails in Oak F. Pool  
41.13  
33.26  
3 nails in Oak F. Pool

52.85  
Free  
Free

2630.14

78.15  
69.23  
67.80  
84.90  
78.51  
Gov. tree  
24° 5.0'

2640.0

1/27/10 RE-D

New Instrument 9/14/10

18" Oak 42.45  
Corner  
Fence Post  
33.51  
32.81 F.P.  
1/27/10  
RE-D

*SEC 17*

In Establishing the South East corner of Section 17 found old stake 33 ft North of  
Section corner on line of old fence Government witness trees gone  
Fixed corner and tied it Nov. 19 - 1897 Set Mont. May 11. 1898

In Establishing the  $\frac{1}{4}$  corner between Sections 16 and 17 found one old Government witness stump  
Fixed corner and tied it November - 19 - 1897 Set Monument June 30 - 1898

The North East corner of Section 17 was fixed by measuring West from  $\frac{1}{4}$  corner between  
Sections 9 and 16 the Government distance No Government trees  
Fixed corner and tied it December 8 - 1897 Set Monument June 30 - 1898

In Establishing the  $\frac{1}{4}$  corner between Sections 17 and 20 Found Government witness tree  
Fixed corner and tied it March. 1898 Set Mont. May 11 - 1898

In Establishing the South West corner of Section 17 Proved and fixed Section  
corner halfway Government witness trees gone March - 1898  
Set Mont. May 11 - 1898