



LAKES
JOHANNA

LAKES
JOSEPHINE

HAMLIN AVE

LEXINGTON AVE

34

See Page 139

2614.60 TOWN LINE

2635.47
tree 27.95° 31.94° tree
1317.73
1317.73
1317.73

72.28° tree
1317.73
1317.73
40.50° tree

2635.47
2635.47
23.82° tree

1317.73
1317.73
T.P. 30.34
T.P. 41.00
tree 27.43°

tree 45.29°
59.73 T.P.
42.02° Oak

154.70
33.23° tree
34.80° Cottonwood
11.15°

2631.56
2631.56

POPK
MCN# 15
34.58°
34.10° Oak

1313.52
1150
25.80° tree
28.96° tree
37.48° tree
42.62° tree
2627.05
89°35'
63.88

108.62° @ 6"
58.35° @ 6"
2625.03
2625.03

2635.32
2635.32
69.54°
50.08°
70.20°

TP. 46.70
59.66 T.P.
37.95°
37.54
63.77°
58.36°

08"
22.27°
20.16° @ 6"
15.45
15.45
19.15/152

2635.32
stump 24.27
94.31°

Ironwood 44.57
20.05°
11.45° Birch

MCN# 15
2640.76

2638.50

1093.50

MCN# 14
343.35
32.70° Birch

Boat House
2.10

89.51°
TP. 47.64
49.64
73.34°
57.30° Oak
50.84°
50.84°

In Establishing the South West Cor. of Section 34 Found old stake at Section Corner. Gov. witness trees gone Fixed Cor. tied it and set Mt. Mount. May 25-1896

In Establishing the South East Cor. of Sec. 34 Found one old Gov. witness stump and also found old stake at Sec. Corner. Fixed Cor. and set Mt. Mount. Oct. 1895

In Establishing the North East Cor. of Sec. 34 Measured North from Town line (or South East Cor. of Section 34) the Gov. distances and fixed Cor. found one Gov. witness stump tied it and set Mt. Mount. Oct. 1895

The $\frac{1}{4}$ Cor. between Sections 34 and 35 was fixed by running a straight line N and S. Gov. witness trees gone tied it and set Mt. Mount. May 12-1897

Meadow Cor. No 15 was fixed in Apr. 1897 found Gov. witness stump
Set Mt. Dec. 8-1899

Meadow Cor. No 16 was fixed June 4-1897 Found Gov. witness stump and old stake
Set Mt. Dec. 8-1899

Meadow Cor. No 14 was fixed in June 1897 found old stake or far post Gov. witness trees gone.
Set Mt. Nov. 1899

In Establishing the North West Cor. of Sec 34 Found our old Gov. witness stump and old stake fixed Cor. and tied it June 5-1897 Set Mt. Aug 4-1897

In Establishing the $\frac{1}{4}$ Cor. between Sec. 27 and 34 run straight line from Cor. to Cor.
June 12-1897 Set Mt. Aug 5-1897

Fixed the Center of Sec. 34 by intersection
Set Mt. Nov. 1899 Feb. 27-1899