

These bearings are taken from the true north line and a point 2.11 miles south of station post between

Sta.	Bearing	Distance	Type	Dist. in ft.	Bearing	Distance	Type	Dist. in ft.	Bearing	Distance	Remarks
1	N. 5° 30' W.	67.30	End Oak	6	N. 51° 0' W.	.63	V. Oak	14	S. 25° 0' W.	.83	1 mile to Station 3
2	N. 5° 30' W.	6.00	End Oak	7	S. 39° 0' W.	.24	V. Oak	—	—	—	
3	N. 15° 0' W.	6.30	End Oak	12	S. 30° 30' W.	.73	End Oak	—	—	—	
4	N. 15° 0' W.	25.00	End Oak	4	N. 45° 0' W.	.53	—	—	—	—	
5	N. 10° 0' W.	10.18	V. Oak	4	N. 76° 0' W.	.57	R. Oak	4	N. 89° 0' W.	.75	2 miles to Station 4 { R. Oak 7° N. 75° W. { 79 R. Oak 5° N. 67° 45' W. { 1.38
6	N. 4° 0' W.	6.12	R. Oak	7	N. 71° 0' W.	.44	—	—	—	—	
7	N. 35° 25' W.	6.20	V. Dr. Oak	12	N. 84° 30' W.	.26	V. Oak	10	S. 38° 0' W.	.25	
8	N. 20° 0' W.	21.00	R. Oak	4	N. 82° 30' W.	.42	R. Oak	6	S. 44° 0' W.	.08	3 miles to Sta. 15 { R. Oak 8° N. 7° 0' W. { R. Oak 9° N. 56 1/2° W. 63
9	N. 15° 30' W.	11.20	R. Oak	8	S. 46° 0' W.	.80	R. Oak	7	N. 82° 0' W.	.29	
10	N. 1° 0' W.	6.30	R. Oak	6	N. 65° 45' W.	1.17	—	—	—		
11	N. 25° 15' W.	12.70	V. Oak	14	S. 39° 0' W.	2.21	R. Oak	5	West	1.26	2 miles to Sta. 23 { R. Oak 6° N. 65° 30' W. { S. 19° 0' W. 85
12	N. 8° 0' W.	10.00	R. Oak	22	N. 60° 0' W.	1.36	V. Oak	8	S. 82° 30' W.	1.22	
13	N. 15° 0' W.	9.00	Dr. Oak	11	N. 36° 45' W.	.44	V. Oak	7	N. 61° 0' W.	1.31	
14	N. 11° 30' W.	12.00	V. Oak	22	N. 56° 0' W.	.83	V. Oak	16	S. 38° 0' W.	1.32	3 miles to Sta. 25 { R. Oak 8° N. 7° 0' W. { R. Oak 9° N. 56 1/2° W. 63
15	N. 40° 30' W.	30.00	R. Oak	8	N. 65° 0' W.	.66	Dr. Oak	3	S. 37° 30' W.	.67	
16	N. 7° 40' W.	18.00	R. Oak	9	N. 21° 40' W.	.60	R. Oak	—	—	.98	
17	N. 23° 20' W.	4.12	R. Oak	10	N. 23° 0' W.	.86	R. Oak	—	—	.92	
18	N. 6° 0' W.	15.85	R. Oak	10	N. 89° 0' W.	.30	Dr. Oak	—	—	.30	
19	N. 11° 45' W.	15.50	R. Oak	6	N. 36° 30' W.	.88	Dr. Oak	—	—	.34	
20	N. 43° 30' W.	7.07	R. Oak	6	N. 85° 30' W.	.17	R. Oak	—	—	.41	
21	N. 20° 01' W.	65.25	R. Oak	12	S. 42° 20' W.	1.53	—	—	—	—	
22	N. 29° 0' W.	2.48	—	—	—	—	—	—	—	—	
23	N. 8° 0' W.	31.70	R. Oak	9	S. 44° 0' W.	.92	R. Oak	10	N. 71° 0' W.	.98	3 miles to Sta. 23 { R. Oak 9° S. 63° 30' W. { N. Oak 10° N. 74° 0' W. 1.08
24	N. 15° 0' W.	18.00	R. Oak	6	N. 27° 30' W.	.24	R. Oak	5	N. 72° 45' W.	1.14	
25	N. 20° 0' W.	3.50	V. Oak	8	N. 40° 30' W.	.48	R. Oak	—	—	—	
26	N. 26° 30' W.	11.50	Dr. Oak	14	S. 30° 0' W.	2.08	—	—	—	—	
27	N. 43° 0' W.	9.50	R. Oak	12	S. 80° 0' W.	.46	—	—	—	—	
28	N. 7° 15' W.	37.50	Dr. Oak	16	at 1500 ft. marked	—	—	—	—	—	
29	N. 15° 0' W.	10.00	Dr. Oak	6	S. 71° 0' W.	.38	—	—	—	—	

No.	Number	Quantity	Species	Plant	Seedling	Species	Plant	Seedling	Remarks
50	E. 2°30' N.	25.00	R. Oak	30	E. 66°30' W.	.97	R. Oak	30	(7 Miles between Sta. 51 & 52 Elevation 80' E. 7°15' N. 3.5 (Elevation 100' E. 11° N. 11.)
51	E. 4°00' N.	18.99	W. Oak	10	E. 28° N.	.37	W. Oak	15	
52	North	21.21	W. Oak	15	E. 30° N.	.31	W. Oak		
53	North	10.95	No tree (bare)						
54	E. 31°15' N.	12.96	Land	30	North.	.01	R. Ash	10	(8 Miles between Sta. 56 & 57 (Elev 100' S. 30°30' N. 115
55	North	25.19	W. Oak	25	E. 79°30' N.	.77	W. Oak	9	
56	E. 33°00' N.	9.00	W. Oak	10	E. 66° N.	.28	W. Oak	10	
57	E. 11° N.	46.00	W. Oak	24	on line		W. Oak	10	
58	North	20.90	Sugar	24	E. 72° N.	.27	Land	24	(9 Miles between Sta. 57 & 58 (Elev 100' North 59' W. Ash 11. (E. 30° N. 45
59	E. 45° N.	9.50	R. Ash	24	E. 90°30' N.	.37	R. Ash	24	
60	E. 25°30' N.	18.12	As center of tract		end of bridge, no tree near				
61	E. 78°30' N.	4.22	R. Ash	18	E. 47° N.	.34	W. Oak	10	
62	E. 66° N.	31.90	R. Ash	24	E. 85° N.	.43	R. Ash	10	
63	E. 3° N.	19.00	Sugar	9	E. 65° N.	.96	Sugar	10	
64	E. 21° N.	7.00	W. Oak	12	E. 67° N.	.37	W. Oak	7	
65	E. 49° N.	8.00	W. Oak	12	E. 85°30' N.	.34	W. Oak	12	
66	E. 2° N.	7.00	Watermark	24	E. 3° N.	.40			
67	E. 31° N.	7.00	W. Oak	10	West	.22	R. Ash	10	(11 Miles between Sta. 47 & 48 (W. Oak 120' for post
68	E. 14° N.	35.00	W. Oak	12	E. 85° N.	.48	W. Ash	24	
69	North	18.00	W. Oak	24	E. 89° N.	.23	W. Ash	12	
70	North	6.00	Poplar	21	West	.38	W. Oak	10	
71	E. 25°18' N.	29.00	R. Oak	10	E. 60° N.	.74	W. Oak	16	
72	E. 29° N.	35.00	R. Oak	9	E. 65° N.	.24	Sugar	10	
73	E. 7° N.	10.00	Land	10	E. 71°30' N.	.21	R. Oak	10	(13 Miles between Sta. 53 & 54 (R. Ash 100' E. 6° N. 24 (Land 24 E. 87° N. 22
74	E. 22° N.	93.00	R. Oak	8	E. 60° N.	.31	W. Oak	12	
75	E. 96° N.	16.00	W. Ash	10	E. 45°30' N.	.91			
76	E. 85° N.	9.00	Watermark	9	E. 4° N.	.25			
77	E. 98° N.	12.00	R. Oak	9	E. 33°30' N.	.30	W. Oak	10	
78	E. 89° N.	11.00	W. Oak	12	E. 16° N.	.50	R. Oak	10	(14 Miles between Sta. 56 & 57 (W. O. 120' 87° N. 1.19 (W. Oak 11 E. 87° N. 53
79	E. 3° N.	19.00	W. Oak	12	E. 41° N.	.48	W. Oak	16	
80	E. 25°18' N.	46.00	W. Oak	6	E. 47° N.	.68	R. Oak	12	
81	E. 105°30' N.	18.00	W. Oak	12	E. 105°30' N.	1.67	R. Oak	12	(15 Miles between Sta. 61 & 62 (W. Oak 18 S. 35°30' N. 81
82	E. 60° N.	24.00	R. Oak	12	R. Oak	.79			
83	E. 80° N.	46.00	R. Oak	18	R. Oak				

W. P. A. PROJECT D. P. 65-1-71-2668

Three Pine Tree Lake Road, Cont'd.

This is the terminus on the Western Shore of Three Pine or Indian Battle ground lake; in the Western part of Section No. 14, T. 32 North, R. 22 West, 4th Mer.

I do hereby certify that the above is a correct copy of the field notes of the aforesaid road as surveyed by me in February and March, 1855.

Signed John T. Maister
Dep. Co. Surveyor,
Ransom County, N.T.

RECORDED
INDEXED
MAY 18 1855

I hereby certify that this is a correct plat of a road surveyed by me in February and March, 1855 said road begins at a point in the Bald Eagle Lake Road, 2 chains and 11 links South of the quarter section corner post between Sections 21 and 28 of T. 30 North, R. 22 West, 4th Mer. Thence Northward as per plat 15 miles, 50 chains and 83 links to an Oak tree marked "A. 63", on the Western Shore of the "Three Pine" or "Indian Battle ground lake" in or about the Western part of Section 14 of T. 32 North, R. 22 West of 4th Prime Mer. aforesaid.

Signed John T. Maister
Dep. Co. Surveyor
Ransom County, N.T.

Read Plat Book "1"
Page 26 to 31

Part Centerville Rd. in Section 21-30-22