

OFFICE OF COUNTY ENGINEER
RAMSEY CO. MINN.

Road Map Survey

DIVISION ST

From W.B.N. City Lim. To Park Ave.

Road Acc't. No. 91

Date Filed 1-5-27

File

1-5-27

DIVISION STREET

ROAD # 91

From N. Limits of White Bear to Park Ave


INDEX

Alignment	Sta. 0 to	P-2-P-4
Topography	" " "	P-5-P-9

Topography " " " " P5-P9

Jan-1927

Office of Ramsay Co. Engineer
ST. PAUL, MINN.
Date Filed *1-5-27*
File No. *16*
Received
Wm. H. Hout



Alignment.

Station	Point	Lt. Δ	Rt.	Bear.
---------	-------	-------	-----	-------

13+83.5	P.O.T.			
---------	--------	--	--	--

12+30.18	P.T. ✓	72.54'		
----------	--------	--------	--	--

15° C.Rt.

12+00		52.38.2	Δ 15° 48'	
-------	--	---------	-----------	--

P.I. 11+78.2

11+50		105.32'	T. 53.45 ✓	
-------	--	---------	------------	--

L. 105.33 ✓

11+24.85	P.C. ✓	0200'	R. 383.06 ✓	
----------	--------	-------	-------------	--

0+00	Bcg.			
------	------	--	--	--

W.H. Carlson.


Jan. 4, 1926

3

A. L. Persons


W. G. Alexander

E. T. Sinclair.



E. Bald Eagle Ave.

1323.87



So. Line Portier St.

T.P.

5 E. Cor.
Sec. 11

50.89
1-Station
From E.

Station	Point	Lt. A	Rt.	Bear.
---------	-------	-------	-----	-------

25+10.8	End.			
---------	------	--	--	--

24+76.5	P.O.T.			
---------	--------	--	--	--

16+52.31	P.T.	7246.5	✓	15° C. Lt.
----------	------	--------	---	------------

Δ 15° 33'

16+00

3° 51.3'

P.I. 16+00.90

T. 52.3 ✓



15+48.6


P.C.

0° 00' ✓

L. 103.67 ✓

R. 383.06 ✓





Topography

5400

4400

3400

+74 - 2 FENT LT.

2400

1400

+90 2 FENT LT.

+30 2 St. RT.

0400

Note: Road surface Old Tanvia
from Bald Eagle Road.

F-33

+81-P.P. 28'

Jun. 4, 1926 6

W.H.C.
D.L.P.
W.G.P.
E.T.S.

F-33

Pasture.

+11-P.P. 28'

+82-T.P. 33
+82-F. Cor. 39

+101-F. Cor. 33'

+56-F. Cor. 39'
+52-T.P. 33

+35-P.P. 28'

+99-F. Cor. 39

+95-End Trees 27

+20-T.P. 31'
F-39'

+00-Beg Row Maple 27'

Maple


Yard.

+65-12" Maple 27'
+52-P.P. 14

+87-T.P. 31'
+68-F. Cor. 39'

+47-6" Maple 26'

+07-20" Maple 27'
Village Lim. 75



+30.18

P.T.

12

+24.9 P.C 15% C.Rt.

11

10

9

+25-

F.ENT RT.

8

7

6

+90-T.P. 52'
 +34-R.R.F. Cor. 46'
 +80-R.R. 38'
 +72-F. Cor. 61'

+14-O.P. 24'

+21-T.P. 30'

F-33'

+90-R.P. 28'

+06-T.P. 37'

F-33'

+97-P.P. 28

+98-T.P. 33'

+65

+57-R.P. 28'

+77-T.P. 35'

+4-F. Cor. 36

+85-B.F. 36

+49-T.P. 34'

F-33'

+16-T.P. 34'

straight

Pasture.

cultivated
 Farm yard

19

18

17

+52.27

16

15° C.L.T.

+48.6

+30

Approx. to Stillwater Ave.

15

14

+83.5

to Pine R.R.

(Full)
32' Planking

13

+84-8" 0 28'
+67-P.P. 29'

51.3 7
+97-T.P. 26' 8

F-40

+53-R.P. 29'

+56-T.P. 26'

+50
Willows

+916

+04-P.P. 28'
F-40

+28-T.P. 26'

Scattered Oaks

Scattered Oaks

+31-T.P. 27'

+68-P.P. (Arc.) 28'
+57-F.Cor. 29'

+73-G.P. 33'

+58-T.P. 36'

+87-R.R. Xing Sq. 24'

+20-T.P. 32'

+32-F.Cor. 41'
+71-T.P. 32'

+75-R.F. 30'

+09-E.F. 40'

+74-R.R. Xing Sq. 16'

+63-F.Cor. 40'

+56-T.P. 31'

+52-F.Cor. 52'

+47-T.P. 31'

25 + 10.8

+38 - E Ave Drive Lt

24

23

22

+10

E Ave Drive Lt.

21

20

E/Park Ave

20' Black Top Pavement

+76-F.C.O. 40
 +74-P.P. 29
 +72-End Tree 26'

Gate

+66-T.P. 27

+29-8" Oak 29'

+99-T.P. 27'

+62-12" Oak 31'

+27-P.P. 29'
 F-40

Yard

+89-T.P. 26'

+10-P.P. 29'
 trees 30'

+70-Beg Row Tree 30'

F-40
 +96-P.P. -29'

Gate

+38-T.P. 26'

+55-12" Will - 26'

+18-6" 29'

