

Bk.37 - Dr.11

CURBING

OFFICE OF COUNTY ENGINEER
RAMSEY CO. MINN.

_____ Plan _____ Survey

_____ SIMPSON ST. _____

From Crawford St. To Garden Ave. _____

Road Acc't. No. R-41 _____

Date Filed 10-26-37 _____

File _____

Plan Survey

Simpson St.



Crowford to Garden.


Curbing & Sidewalk

Done 7-17-39

9+31.2

0700





Simpson Ave.

Topog.

10

10

6

5

4

3

2

1


+ 24- 15" x 32' - Half Cula C.M.

10

10

+69 Cor. Ho 68

+51 $\frac{1}{2}$ Ent 29.9



+16 Cor. Ho. 64

+94 Cor. Fdn. 69

+69 $\frac{1}{2}$ Ent 30.6

+33 Cor. Ho 65

+10 $\frac{1}{2}$ Ent 29.9

+95 Water Shot
off - 23.6

+76 Cor. Ho 65

+48 $\frac{1}{2}$ Ent 29.5

+10 Cor. Ho 65

+90 $\frac{1}{2}$ Ent 29.3

+56 Cor Ho - 64

+08 Cor. Ho 65

















+02.4 $\frac{1}{2}$ Ent. 29.5

+73.5 $\frac{1}{2}$ Ent 29.3

+42 Cor. Ho 64

+31 $\frac{1}{2}$ 4 Walk 31

+18 End Culv 16.5



+73 Cor. Ho. 2' 65'

+72 $\frac{1}{2}$ Walk 29.8

+68 $\frac{1}{2}$ Dirt Ent.

+53 $\frac{1}{2}$ Dirt Ent.

+48 $\frac{1}{2}$ 2 Walk 29.8

+10 Cor. Ho 66

+92 $\frac{1}{2}$ Ent 28.8

+72 $\frac{1}{2}$ 4 Walk 28.1

+57 Cor. Ho. 68

+34.5 $\frac{1}{2}$ Dirt Ent

+30 $\frac{1}{2}$ 2 Walk 30

+94 Cor. Ho. 67

+32.5 $\frac{1}{2}$ Ent 29.9

+25 Cor. Ho 67

+09.4 $\frac{1}{2}$ Drive 29.8

+71 Cor. Ho 64

+51 $\frac{1}{2}$ Ent Dirt

+47 $\frac{1}{2}$ 2 Walk 29.5

+17 Cor. Ho - 68

+91 Ent 30.3

+55 Cor. Ho 67

+39.4 $\frac{1}{2}$ Ent. Dirt

+34 $\frac{1}{2}$ 2 Walk 29.6

+04 Cor. Ho. 68

+89 $\frac{1}{2}$ Ent - Dirt

+53 cor Ho 6.8

+31.5 $\frac{1}{2}$ Drive 29.3

+11 $\frac{1}{2}$ 4 Walk - 29.2

+96 Cor. Ho. 64

+46 Cor. Ho. 68

+40.3 $\frac{1}{2}$ Walk 29.1

+29 End Culv. 13.5

9 15.5 + 09 - 15" x 30' $\frac{1}{2}$ C.M. 14.5
10 10

8

7

+ 76 E 4' Walk 30'
 + 65 Cor. Hs 64'
 + 59 Water shut off 23.0'


+ 30.5 $\leq E_n$ + 298

+ 01 water. 50.23.0

+ 91 Cor. Ho 65



The diagram shows a rectangular structure with a smaller rectangle attached to its top-left corner. The main rectangle has a width of 32 and a height of 32. The smaller rectangle has a width of 12 and a height of 18. The total width of the structure is 44 (32 + 12). The total height is 50 (32 + 18). The labels '18', '12', '32', '32', '44', and '50' are placed around the rectangle to indicate these dimensions. The text '18' is at the top left, '12' is to the left of the top-left corner, '32' is to the left of the main rectangle, '32' is at the bottom, '44' is at the bottom left, and '50' is at the bottom right.



Profile Notes.

Simpson Ave.

Sta	+	K	-	Elev.
B.M.	4.34	957.46		953.12
0+00			3.8	53.66
+31 Walk Left.			3.56	53.90
+40 Walk Rt.			3.85	53.61
+50			3.9	53.56
+73.5 Ent. Lt.			3.98	53.48
1			4.0	53.46
+11 Walk Rt			3.94	53.52
+31.5 Ent Rt			4.02	53.44
+50			4.3	53.16
2			4.1	53.36
+02.4 Ent. Lt.			4.17	53.29
+34 Walk Rt			4.44	53.02
+50			4.0	53.46
+90 Ent Lt.			3.78	53.68
+91 Ent. Rt			4.83	52.63
3			4.0	53.46
+47 Walk Rt.			4.34	53.12
+48 Ent. Lt.			3.58	53.88
+50			4.0	53.46
4			4.0	53.46
+09.4 Ent Rt.			3.34	54.12
+10 Ent Lt.			3.40	54.06
+32.5 Ent Rt			3.29	54.17
+50			3.6	53.86


N. W. Cor. 95425

Top Lot Iron N. W. Cor. Crawford & Simpson

Sta				Elev.
		957.46		
4 + 69	Ent Lt.	3.06	5440	
5		2.7	5476	
+30	Walk Rt. (Top Step)	1.10	5636	
+50		1.8	55.66	
T.P.	5.40	962.34	0.52	956.94 ✓
+72	Walk Rt.	4.62	57.72	
+92	Ent. Rt.	4.98	57.36	
6 + 48		5.9	56.44	
+48	Walk Rt.	3.69	58.65	
+50		5.1	57.24	
+51	Ent Lt.	4.76	57.58	
+72	Walk Rt.	3.78	58.56	
7		4.7	57.64	
+09	Ent Lt.	4.52	57.82	
+50		5.0	57.34	
8		6.4	55.94	
+30.5	Ent Lt.	6.70	55.64	
+50		7.9	54.44	
+76	Walk Lt.	7.53	54.81	
9		8.4	53.94	
+31.2		8.4	53.94	
B.M.		9.58	952.76	952.77 ✓

962.34
952.77
9.57

Top Lot Iron. N.W. Cor. Pascals & Garden.



①
Blue tops
for

Simpson St. Curbing

Staked - 9.25.39

Party

7-Pagee

R.O.P.

A.M.

L.G.

C.F.

Sta	+	π	-	Elev. Lt.	Elev. Rt.
B.M.	4.82	957.94			953.12

0+30	R.E.L.			53.30	
------	--------	--	--	-------	--

+50	R.E.L.			53.32	
-----	--------	--	--	-------	--

+63.5	L			53.33	
-------	---	--	--	-------	--

+75	R			53.34	
-----	---	--	--	-------	--

+83.5	L			53.35	
-------	---	--	--	-------	--

1	R.E.L.			53.37	
---	--------	--	--	-------	--

+21.5	R			53.39	
-------	---	--	--	-------	--

+25	L			53.40	
-----	---	--	--	-------	--

+41.5	R			53.41	
-------	---	--	--	-------	--

+50	L			53.42	
-----	---	--	--	-------	--

+75	L			53.45	
-----	---	--	--	-------	--

2.9 3.5

G.R.

Top Lot Iron H.W. Cor. Crawford & Simpson

4.64 B.T. B.T.

4.62 B.T. B.T.

4.61 B.T.

4.60 B.T.

4.59 B.T.

4.57 B.T. B.T.

4.55 B.T.

4.54 B.T.

4.53 B.T.

4.52 B.T.

4.49 B.T.

Sta	+	π	-	Elev
		957.94		
1+79	R			53.45
+92.4	L			53.46
+99	R			53.47
2 + 12.4	L			53.48
+25	L			53.50
+29.4	R			53.50
+49.4	R			53.52
+50	L			53.52
+80	L			53.55
+81	R			53.55
3 +00	L			53.57
+01	R			53.57

4.49

B.T

4.48

B.T

4.47

B.T

4.46

B.T

4.44

B.T

4.44

B.T

4.42

B.T

4.42

B.T

4.39

B.T

4.39

B.T

4.37

B.T

4.37

B.T

Sta	+	π	-	Elev.
		952.94		
3+25	REL			53.60
+38	L			53.61
+42	R			53.61
+58	L			53.63
+62	R			53.63
+75	REL			53.66
+99.4	R			53.69
4+00	L			53.69
+19.4	R			53.78
+20	L			53.78
+22.5	R			53.79
+42.5	R			53.93

4.34 B.T.

B.T.

433 B.T.

433

B.T.

431 B.T.

431

B.T.

4.28 B.T.

B.T.

4.25 B.T.

B.T.

4.25 B.T.

4.16

B.T.

4.16 B.T.

4.15

B.T.

4.01

B.T.

Sta	+	π	-	Elev.
		957.94		
4+50	R & L			53.99
+59	L			54.08
+75	R			54.29
+79	L			54.30
5+00	R & L			54.58
+24.5	R			54.98
+25	L			54.98
T.P.	7.48	962.46	2.96	954.98
+44.5	R			55.35
+50	R & L			55.46
+75	R & L			55.88
+82.0	R			56.17
6+00	L			56.60

3.95

B.T.

B.T.

3.86

B.T.

3.65

B.T.

3.64

B.T.

3.36

B.T.

B.T.

2.96

B.T.

2.96

B.T.

7.11

B.T.

7.0

B.T.

B.T.

6.58

B.T.

B.T.

6.29

B.T.

5.86

B.T.

Sta	+	π	-	Elev.
		962.46		

6+02	R			56.65
------	---	--	--	-------

+25	REL			57.03
-----	-----	--	--	-------

+41	L			57.36
-----	---	--	--	-------

+43	R			57.39
-----	---	--	--	-------

+61	L			57.57
-----	---	--	--	-------

+78	R			57.67
-----	---	--	--	-------

+99	L			57.70
-----	---	--	--	-------

7+00	R			57.69
------	---	--	--	-------

+19	L			57.60
-----	---	--	--	-------

+25	R			57.47
-----	---	--	--	-------

+50	REL			57.25
-----	-----	--	--	-------

+75	REL			56.70
-----	-----	--	--	-------

5.81

B.T

5.43

B.T

B.T

5.10

B.T

5.07

B.T

4.89

B.T

4.79

B.T

4.76

B.T

4.77

B.T

4.86

B.T

4.99

B.T

5.21

B.T

B.T

5.76

B.T

B.T

Sta	+	π	-	Elev.
		962.46		
8	REL			56.15
+20.5	L			55.57
+25	R			55.44
+40.5	L			55.0
+50	REL			54.72
+75	REL			54.01
9+01.2	REL			53.27
B.M.		9.63	952.83	952.77

6.31 B.T.

B.T.

6.89 B.T.

7.02

B.T.

7.46 B.T.

7.74 B.T.

B.T.


8.45 B.T.

B.T.

9.19 B.T.

B.T.

Top Lot Iron N.W. Cor Pascal & Garden.



Additional Blue Tops
Simpson St.

4 Pages

Slaked - 10-4-39

Party
R.P.
A.M.
L.G.
C.F.

B. Mh 9.12 961.89 952.77

9 + 15

9 + 30

53.30

8 + 35.5 Lt.

55.14

8 + 25.5 Lt

55.44

8 + 37 Rt

55.05

+42 Rt

54.91

+27 Rt

55.35

+22 Lt

³
55.50

7 + 82 Rt

56.59

+77 Rt

56.70

+67 Rt

56.92

+62 Rt

57.03

+80 Lt.

56.61

8.59

8.59

6.75

6.45

1

6.84

6.98

6.54

6.39

5.30

5.19

4.97

4.86

5.28

961.89 °

7+75	Lt			56.72
	Lt			
7+65	Lt			56.94
7+60	Lt			57.05
7+14	Lt			57.60
7+04	Lt			57.70
6+56	Lt			57.54
6+46	Lt			57.39
6+43	Lt			
6+73	Lt			57.64
6+48	Lt			57.44
5+97	Lt			56.48
5+87	Lt			56.32
T.P.	3.29	959.54	5.64	956.25
5+96	Lt			56.46
5+86	Lt			56.30
5+81	Lt			56.18
5+41	Lt	Lt		55.31
5+36	Lt	Lt		55.22

5.17

4.95

4.84

4.29

4.19

4.35

4.50

4.25

4.45

5.41

5.59

3.08

3.24

3.36

4.23

4.32

959.54

5+26 Lt

55.04

5+21 Lt

54.95

5+45 Rt

55.38

5+40 Rt

55.29

5+30 Rt

55.11

5+25 Rt.

55.02

4+75 Lt

54.31

4+65 Lt

54.18

T.R 4.82 962.06 2.30 957.24

B.M. 9.29 952.77

4.50

4.59

4.16


4.25

4.43

4.52

5.23

5.36



SIMPSON ST.

Blue Tops for Ditches

1/11/40

R.O.P.

A.M.

L.G.

C.F.

Sta.	+	π	-	Elev.
B.M.	5.03	958.57		953.54
0 + 30				52.60 5.97
+ 50				52.64 5.93
1				52.73 5.84
+ 50				52.83 5.74
2				52.92 5.65
+ 50				53.02 5.55
3				53.11 5.46
+ 50				53.21 5.36
4				53.30 5.27
+ 50				53.49 5.08
5				3.94 4.44
			R	3.99 4.49
+ 50				3.01 351
			R	3.05 355
B.M.	5.03			953.54

Top S.E. Cor. Conc. Walk N.W. Cor. Crow. Simp.

5.97

5.97

5.97

5.93

5.93

5.84

5.84

5.74

5.74

5.65

5.65

5.55

5.55

5.46

5.46

5.36

5.36

5.27

5.27

5.08

5.08

4.44

4.49

3.51

3.55

Top S.E. Cor. Walk Crow. Simp.

Sto + π - Eliv

6

7.1

5.35

5.85

R 5.33

5.83

+50

4.47

4.97

R 4.48

4.98

7

4.23

4.73

R 4.32

4.82

+50

4.89

5.39

R 4.71

5.21

8

3.98

4.48

R 3.94

4.44

+50

5.42

5.92

R 5.34

5.84

9

6.68

7.18

R 6.67

7.17

5.85

5.83

4.97

4.98

4.73

4.82

5.39

5.21


4.48

4.44

5.92

5.84

7.17



PLAN SURVEY

Simpson Ave
Garden to Ruggles

Curbing

6-18-41

Drawn up 6/41
WJB

6128.35 Prop. Line Rygg/les

2100 £ Garden

SE. Cor.
Fdn. Porch.

88.64

86.07

SW. Cor.
Ho.

SE. Cor.
Ho.


SW. Cor.
Ho.

85.88

85.58

89.12

E. Garden 153.42'



Simpson Ave
Topography.

•

•

•

•

•

•

6
+88 W.S.O 23

+36 W.S.O 24

5
+71 W.S.O. 22

4
+99 W.S.O 23

+86 W.S.O 23

3
+86 2 1/2 m - 31

+37 W.S.O 21



2
+86 2 1/2 m - 31

1
+08 W.S.O. 24

+08 W.S.O 22

+67 Water Shut Off 24

0
+86 2 1/2 m - 31



-15 End Rad. 30
 -30 End Rad. 15

-15 End Rad. 30
 -30 End Rad. 15

Topography
N. Side Garden

2

1


0

7

+06 Ent.
+99 2 Conc Wlk 15.7

+78 1" Maple 28

+23 2" Elm. 32
+10 - Cor - 8.6 Drive 30



Simpson Ave.

Cross Sections

Sta.	+	π	-	Elev.
B.M.	2.25	953.91 ✓		951.66
T.P.	7.24	958.28 ✓	2.87	951.04 ✓
B.M.	6.40		6.40	951.88 ✓
B.M.	1.62	958.28	1.62	956.66
0100			5.0	53.3

+30		5.0	53.3
-----	--	-----	------

+50		5.1	53.2
-----	--	-----	------

1		5.3	53.0
---	--	-----	------

+50		5.6	52.7
-----	--	-----	------

2		5.8	52.5
---	--	-----	------

+50		5.9	52.4
-----	--	-----	------

3		6.3	52.0
---	--	-----	------

+50		6.4	51.9
-----	--	-----	------

4		6.7	51.6
---	--	-----	------

+50		6.9	51.4
-----	--	-----	------

Top N.E. Cor Lower Step S.W. Cor Ruggles-Pascal

Top N.E. Cor Lower Step S.W. Cor Ruggles-Simpson

Top Hyd. S.W. Cor Simpson & Garden

$\frac{4.2}{50}$ $\frac{4.9}{26}$ 50 $\frac{5.0}{30}$ $\frac{5.0}{50}$

53.5

$\frac{4.2}{50}$ $\frac{4.8}{29}$ $\frac{5.3}{15}$ 50 $\frac{5.1}{10}$ $\frac{5.2}{14}$ $\frac{4.6}{28}$ $\frac{4.3}{50}$

53.7^L

53.9

$\frac{3.3}{50}$ $\frac{4.1}{37}$ $\frac{5.1}{17}$ $\frac{5.4}{15}$ 5.1 $\frac{5.6}{14}$ $\frac{5.1}{18}$ $\frac{3.7}{50}$

53.9

54.1

$\frac{2.9}{50}$ $\frac{4.2}{31}$ $\frac{6.0}{15}$ 5.3 $\frac{5.8}{15}$ $\frac{4.6}{30}$ $\frac{3.7}{50}$

53.7

52.6

$\frac{3.8}{50}$ $\frac{4.6}{34}$ $\frac{5.6}{17}$ $\frac{6.1}{13}$ 5.6 $\frac{6.1}{14}$ $\frac{5.7}{17}$ $\frac{5.1}{33}$ $\frac{4.2}{50}$

53.2

53.5

$\frac{3.7}{50}$ $\frac{4.8}{31}$ $\frac{6.0}{17}$ $\frac{6.3}{14}$ 5.8 $\frac{6.5}{13}$ $\frac{5.9}{17}$ $\frac{5.0}{32}$ $\frac{4.4}{50}$

52.3

52.8

$\frac{4.1}{50}$ $\frac{5.5}{28}$ $\frac{6.0}{18}$ $\frac{6.4}{16}$ 5.9 $\frac{6.6}{15}$ $\frac{6.3}{18}$ $\frac{5.3}{35}$ $\frac{4.4}{50}$

52.9

52.5

$\frac{3.9}{50}$ 5.0 $\frac{6.0}{36}$ $\frac{6.6}{28}$ $\frac{6.6}{16}$ 6.3 $\frac{7.0}{14}$ $\frac{6.3}{18}$ $\frac{5.8}{31}$ $\frac{4.7}{50}$

52.5

52.3

$\frac{4.1}{50}$ 5.0 $\frac{6.3}{38}$ $\frac{6.7}{27}$ $\frac{6.7}{16}$ 6.4 $\frac{7.1}{14}$ $\frac{6.3}{23}$ $\frac{4.3}{50}$

52.3

51.8

$\frac{4.8}{50}$ $\frac{5.6}{37}$ $\frac{6.7}{28}$ $\frac{7.0}{16}$ 6.7 $\frac{7.6}{15}$ $\frac{7.0}{18}$ $\frac{5.8}{33}$ $\frac{5.2}{50}$

52.5

52.1

$\frac{5.3}{50}$ 6.2 $\frac{7.1}{30}$ $\frac{7.4}{26}$ 6.9 $\frac{7.2}{9}$ $\frac{7.6}{11}$ $\frac{7.0}{24}$ $\frac{5.7}{50}$

51.7

Sta.	+	π	-	Elev.
		958.28		

5			7.1	51.2
---	--	--	-----	------

+50			7.4	50.9
-----	--	--	-----	------

6			7.5	50.8
---	--	--	-----	------

+28.35			7.2	51.1
--------	--	--	-----	------

Rt. only

0 + 63			4.92	53.36
--------	--	--	------	-------

+95			4.76	53.52
-----	--	--	------	-------

1 + 00.5			4.76	53.52
----------	--	--	------	-------

+56			5.21	53.07
-----	--	--	------	-------

+61			5.26	53.02
-----	--	--	------	-------

2 + 15			5.44	52.84
--------	--	--	------	-------

+20			5.46	52.82
-----	--	--	------	-------

+73			5.58	52.70
-----	--	--	------	-------

+79			5.62	52.66
-----	--	--	------	-------

3 + 36			5.72	52.56
--------	--	--	------	-------

+41			5.67	52.61
-----	--	--	------	-------

4 + 54			6.47	51.81
--------	--	--	------	-------

+59			6.47	51.81
-----	--	--	------	-------

5 + 58			6.95	51.33
--------	--	--	------	-------

+63			6.97	51.31
-----	--	--	------	-------

$$\begin{array}{cccccccc} & & 51.5 & & & & 51.4 & \\ 5.6 & 6.3 & 7.0 & 7.7 & & 7.9 & 7.6 & 6.6 & 5.6 \\ \hline 50 & 35 & 28 & 16 & 7.1 & 14 & 17 & 34 & 50 \end{array}$$

$$\begin{array}{cccccccc} & & 51.2 & & & & 51.4 & \\ 6.5 & 6.8 & 7.1 & 7.8 & & 8.3 & 7.6 & 6.6 & 6.0 \\ \hline 50 & 35 & 29 & 15 & 7.4 & 15 & 17 & 35 & 50 \end{array}$$

$$\begin{array}{cccccccc} & & 50.8 & & & & 51.1 & \\ 7.3 & 7.5 & 7.8 & 7.5 & & 8.3 & 8.0 & 7.2 & 6.2 \\ \hline 50 & 31 & 20 & 10 & 7.5 & 15 & 18 & 31 & 50 \end{array}$$

$$\begin{array}{cccccccc} & & 50.7 & & & & 51.1 & \\ 7.1 & 7.5 & 7.8 & & & 7.4 & 7.0 & 7.2 & 7.2 \\ \hline 50 & 38 & 21 & 7.2 & 14 & 17 & 32 & 50 \end{array}$$

Additional Info. on Rt. only

Walk out 16.2

Strip out 27.6

Strip out 27.6

" 27.2

" 27.2

" 27.0

" 27.0

" 29.1

" 29.1

" 30.1

" 30.1

" 30.6

" 30.6

" 29.5

" 29.5

sta.	+	π	-	Elev.
------	---	-------	---	-------

958.28

0+56			5.20	53.08
1+34			5.49	52.79
+41			5.49	52.79
+53			5.52	52.76
+58			5.56	52.72
2+13			5.14	53.14
+18			5.18	53.10
3+15			5.62	52.61
+20			5.64	52.64
4+32			6.32	51.96
+38			6.35	51.93
+59			6.35	51.93
+63			6.38	51.90
5+11			6.60	51.68
+16			6.63	51.65
6+10			7.02	51.26
+19			7.05	51.23

Addition Info. on Lt. Only

walk out 16.7

strip out 16.8

" " 16.8

" " 16.9

" " 16.9

" " 29.5

" " 29.5

" " 29.3

" " 29.5

" " 30.1

" " 30.1

" " 29.9


" " 29.7

" " 29.4

" " 29.4

" " 30

" " 30



Cross Section
Garden Ave.

Sta	+	π	-	Elev.
B.M.	2.03	958.69	✓	956.66
0+00	E Simpson		5.4	53.3
+				
+30			5.4	53.3
+				
+50			5.4	53.3
+				
1			5.5	53.2
Top Walk Sta. 1			(5.43)	53.27
+25			5.8	52.90
+53.42 Prop Line			6.0	52.70

Top Hyd Sw. Cor Simpson & Garden

$\frac{5.5}{50}$ $\frac{5.2}{22}$ $\frac{5.4}{76}$ $\frac{5.6}{30}$ $\frac{5.8}{30}$

53.7

$\frac{4.9}{50}$ $\frac{5.0}{28}$ $\frac{5.3}{15}$ $\frac{5.4}{54}$

54.0

$\frac{4.1}{50}$ $\frac{4.8}{26}$ $\frac{5.7}{13}$ $\frac{5.4}{54}$

54.5

$\frac{3.8}{37}$ $\frac{4.1}{33}$ $\frac{5.1}{15}$ $\frac{5.9}{13}$ $\frac{5.5}{55}$

54.2

$\frac{4.3}{50}$ $\frac{4.4}{32}$ $\frac{5.1}{22}$ $\frac{6.1}{74}$ $\frac{5.8}{58}$

52.7

$\frac{4.8}{50}$ $\frac{5.0}{32}$ $\frac{6.5}{16}$ $\frac{6.0}{60}$

