

BK. 52

DR. 11

OFFICE OF COUNTY ENGINEER
RAMSEY CO. MINN.

LEVELS

Survey

CRAWFORD ST

From SNELLING To PASCAL

Road Acc't. No.

Date Filed 1-31-45

File

Crawford Ave.

Levels

Rec 8/24/44
Worked up 8/28/44
HAW.

Sta	+	π	-	Elev
B.M.	2.51	960.56		(958.05)

0 +00 = ^{Snelling Ave} E Service Drive at 56.2

+50 55.1

1 54.7

+50 54.3

+97 Gutter Asbury 54.1

2 +12 E Asbury Ave. 54.0

+27 Gutter Asbury 53.9

+50 53.7

3 53.2

I.P. 4.43 957.69 7.30 953.26

+50 53.1

4 52.9

Gutter Lt. & Gutter Rt.

[illegible]

Sta.	+	π	-	Elev.
		957.69		
4	+50			52.8
5				52.8
	+23	Gutter Arena		52.84
	+16	= FL. X Drain		
	+39	E Arena		52.8
	+61	FL. X Drain		
	+55	Gutter Arena		52.7
	+70			52.7
6				52.6
	+50			52.5
7				52.5
T.P.	5.25	957.72	5.22	952.47

Sta.	+	π	-	Elev
		957.72		

7	150			52.5
---	-----	--	--	------

8				52.5
---	--	--	--	------

	137			52.6
--	-----	--	--	------

	152	Curb line Simpson		52.5
--	-----	-------------------	--	------

	167	& Simpson st		52.8
--	-----	--------------	--	------

	182			52.9
--	-----	--	--	------

	197			52.8
--	-----	--	--	------

Gutter Lt. & Gutter Rt.

Bcg. Top Curb = 496 5.4 51 5.3

15 52.0 52 52.2

57 51.9 52 52.4

58 52.76 52 52.3

52.3 52.85 52.4

Curb 52.96 Curb 52.9 Curb 52.4

476 53 482 54 487 53 52 5.2

100 60 30 15

52.97 52.4 52.99 52.4 53.08 52.5 53.1

475 53 473 53 464 52 460 50

150 200 250 300

52.9 52.9 52.9 52.9 52.7 52.7 52.7 52.7 52.4

48 4.8 4.8 4.8 5.0 5.0 5.0 5.0 5.3

200 250 200 150 100 60 30 15 49

Curb 52.94 Curb 52.91 Curb 52.3

478 54 481 54 484 54 51 48

100 60 30 15

53.0 52.4 53.0 52.5 53.1 52.3 52.6

472 53 472 53 462 52 457 50

150 200 250 300

52.9 52.9 52.9 52.9 52.7 52.7 52.7 52.7 52.4

End Curb = 4.81 5.4 4.9 5.3

15 15

Sta.	+	π	-	Elev.	
		957.72			
9	+50			52.6	
10				52.4	
	+05				
	+50			52.3	
	+54				
11				52.1	
T.P.	3.57	955.58	571	952.01	
	+50			52.0	
	+63			52.1	
	+77	Gutter Pascal		52.2	
	+92	& Pascal AVE.		52.4	
B.M.			2.76	952.82	952.85

Gutter Lt

8

Gutter Rt

52.0

5.7

52.1

5.6

52.1

5.6

Ground at
culv.

52.0

54

52.4

5.3

52.4

5.3

52.1

5.6

Ground at Culv.: 5.7

51.8

5.9

51.8

3.8

52.0

3.6

56

36

35

51.9

5.8

51.9

3.7

51.8

3.8

54.0

1.6

200 150

53.1

2.5

100 60

52.5

3.1

30 15

52.3

3.3

30 15

52.2

3.4

30 15

51.9

3.7

15 30

51.5

4.1

30 60

51.2

4.4

100 150

51.2

4.4

150 1.69

51.1

4.5

150 1.69

51.0 Culv. Lower than ground
at ground of culv.

54.5

1.1

200 150

53.2

2.4

100 60

52.8

2.8

30 15

52.5

3.1

30 15

52.4

3.2

30 15

51.9

3.2

15 30

51.5

3.4

30 60

51.2

3.7

60 100

51.8

3.8

100 200

51.7

3.9

150 200

51.6

4.0

200

50.6

5.0

300

51.1

4.6

250

Top SE. Cor. Lower step Front of Ho. of 1463 Corp.

