

Bk. 22 - Dr. 16

OFFICE OF COUNTY ENGINEER
RAMSEY CO. MINN.

_____ PLAN _____ Survey

_____ CARVERS CAVE _____

From _____ To _____

Road Acc't. No. _____

Date Filed 10-26-39

File _____

①
Survey for Corver's Cave.

$\frac{1}{2}$ Cherry St. Base Line

0 to 100 = $\frac{1}{2}$ Mounds Blvd.

Elev.

Dist

4+49

2+47

P.I.



25° Lt.


Note Actual & Prod
23° 13' 202'

2+08.75 = 0+00 of "B" Line. = 0+00 of "A" Line

0+00

± Mounds Blvd.





"A" Line

③

3

2

1


0+00

Top 23

+50 Top 3

Top 41

Top Bluff 45'



B' Line

(5)

+25 End Ledge 75' - 143'

4 Top Stairs 21.4' Bottom 95.5'


3

+50 Ledge Beg. 117' - 133


2

1

0



Ledge Stadia Elev.
 Diff. from top Bluff
 to Ledge - 27' - 110'



5

4

3

Track 2.0 - 23.5

2 Track 10

Track 9.5 - 16.6

1 Track 6.6 - 21.8

Track 8.5

0 Track 11.4 - 37.7

Track 0.0 - 100.0

E

Toe Bluff 48'

+50 Toe Bluff 70'


+35 Ent Core - 75


Toe Bluff 70'

+68 Ent Core 69'

Toe Bluff 76'

Toe Bluff 76





D Line

9

5

4 Track 14.4 - 37.7

Track 11'

3 Track 14.6

Track 2.7 - 17.0

2 Track 19.6 - 35.0 - 51.0

Track 7.0 - 26.7

1 Track 5.0 - 22.0

Track 13.0 - 28.3

0 Track 0.0

Track 16.0 - 33.8

E

