

2801A

Proj. 28-01 "A"  
Settlement Levels  
Sta. 8 to 24

B.M. 3.95 850.40

846.45

10+00

+25

+50

T.P. 3.32 847.30 6.42 843.98

+75

11

+25

+50

+75

12

+25

+50

+75

13

+25

+50

+75

# 14

+25

+50

+75

15

+25

+50

+75

16

Lt. Rod.	Lt. Elev.	£ Rod	£ Elev	Rt. Rod	Rt. Elev.
6.15	844.25	5.68	844.72	6.01	844.39
6.62	843.78	6.09	844.31	6.71	843.69
7.05	843.35	6.39	844.01	7.02	843.38
4.39	842.91	3.65	843.65	4.30	843.00
4.72	842.58	4.10	843.20	4.66	842.64
4.90	842.40	4.50	842.80	4.90	842.40
5.04	842.26	4.58	842.72	5.10	842.20
5.19	842.11	4.73	842.57	5.01	842.29
5.16	842.14	4.70	842.60	4.97	842.33
4.88	842.42	4.50	842.80	4.84	842.46
4.72	842.58	4.38	842.92	4.80	842.50
4.57	842.73	4.30	843.00	5.00	842.30
4.62	842.68	4.42	842.88	5.50	841.80
4.74	842.56	4.52	842.78	5.80	841.50
4.89	842.41	4.56	842.74	5.50	841.80
5.00	842.30	4.48	842.82	5.00	842.30
4.77	842.53	4.33	842.97	4.67	842.63
4.42	842.88	4.17	843.13	4.32	842.98
4.37	842.93	4.13	843.17	4.31	842.99
4.28	843.02	4.07	843.23	4.22	843.08
4.13	843.17	4.00	843.30	4.15	843.15
4.05	843.25	3.88	843.42	4.03	843.27
3.91	843.39	3.74	843.56	3.95	843.35
3.76	843.54	3.60	843.70	3.80	843.50
3.70	843.60	3.45	843.85	3.58	843.72

M. C. 11/131

847.30 ✓

12.47 ~~834.83~~

11.11 836.19

✓ 8.8 838.50 ✓

B.M. 4.58 848.86 3.02 844.28 844.28

16 +25

+50

+75

17

+25

+50

+75

18

+25

+50

+75

19

+25

+50

+75

20

+25

+50

+75

21

T.P. 9.79 854.10 ✓ 4.55 ✓ 844.31 ✓

+25

+50

Rod L Elev. Rod E Elev. Rod R Elev.  
 Elev. @ Bottom of M.H.  
 Elev. @ Top of Water in M.H.  
 Elev. of Water Pt. Sta. 12+75

Spk. in P.P. Lt. Sta. 16+10 9-11-31

5.18	43.68	4.85	44.01	4.90	43.96
5.12	43.74	4.76	44.10	4.80	44.06
5.03	43.83	4.71	44.15	4.78	44.08
4.93	43.93	4.66	44.20	4.80	44.06
4.86	44.00	4.70	44.16	4.84	44.02
5.02	43.84	4.80	44.06	4.99	43.87
5.17	43.69	4.97	43.89	5.20	43.66
5.35	43.51	5.10	43.76	5.35	43.51
5.55	43.31	5.22	43.64	5.50	43.36
5.53	43.33	5.30	43.56	5.55	43.31
5.59	43.27	5.34	43.52	5.69	43.17
5.62	43.24	5.37	43.49	5.74	43.12
5.69	43.17	5.41	43.45	5.86	43.00
5.80	43.06	5.44	43.42	5.85	43.01
5.95	42.91	5.31	43.55	5.85	43.01
5.86	43.00	5.31	43.55	5.62	43.24
5.76	43.10	5.34	43.52	5.65	43.21
5.70	43.16	5.16	43.70	5.47	43.39
5.46	43.40	4.78	44.08	5.26	43.60
5.16	43.70	4.56	44.30	4.94	43.92
10.00	44.10	9.53	44.57	10.04	44.06
9.56	44.54	9.33	44.77	9.76	44.34

011.446 9 11 131

854.10 ✓

21 +75

22

+25

+50

+75

23

+25

+50

+75

24

T.P.	5.95	857.41 ✓	2.64	851.46 ✓	
B.M.			1.59 ✓	855.82 ✓	855.80
B.M.	6.02	852.47 ✓			846.45

8+00

+25

+50

+75

9

+25

+50


+75

Rod $\Delta$	Elev	Rod $\Delta$	Elev	Rod $R$	Elev
--------------	------	--------------	------	---------	------

9.02	45.08	8.95	45.15	9.18	44.92
8.34	45.76	8.25	45.85	8.52	45.58
7.40	46.70	7.35	46.75	7.67	46.43
6.35	47.75	6.35	47.75	6.73	47.37
5.30	48.80	5.24	48.86	5.75	48.35
4.36	49.74	4.24	49.86	4.73	49.37
3.43	50.67	3.27	50.83	3.62	50.48
2.60	51.50	2.29	51.81	2.62	51.48
1.75	52.35	1.50	52.60	1.63	52.47
0.85	53.25	0.61	53.49	0.77	53.33

4.20	48.27	4.08	48.39	4.28	48.19
4.82	47.65	4.57	47.90	4.76	47.71
5.51	46.96	5.10	47.37	5.24	47.23
5.99	46.48	5.65	46.82	5.86	46.61
6.48	45.99	6.11	46.36	6.39	46.08
6.88	45.59	6.61	45.86	6.98	45.49
7.24	45.23	6.94	45.53	7.34	45.13
7.73	44.74	7.32	45.15	7.62	44.85

9/14/31  
 9/14/31



9-10-31


Proj. 28-01 "A"  
Width of Pavement  
Measurements

	L.T.	R.T.		L.T.	R.T.
8+00	15.20	14.85	14+00	14.97	15.50
+25	15.25	14.85	+25	14.73	15.30
+50	15.25	14.90	+50	14.67	15.34
+75	15.35	15.05	+75	14.65	15.40
9	15.30	15.13	15	14.57	15.50
+25	15.20	15.40	+25	14.58	15.42
+50	15.10	15.38	+50	14.61	15.40
+75	15.14	15.27	+75	14.62	15.44
10	15.28	15.40	16	14.70	15.28
+25	15.38	15.50	+25	14.85	15.23
+50	15.50	15.45	+50	14.95	15.15
+75	15.55	15.37	+75	14.98	15.10
11	15.38	15.27	17	15.05	15.02
+25	15.25	15.30	+25	15.17	14.95
+50	15.07	15.20	+50	15.23	14.85
+75	15.17	15.30	+75	15.20	14.90
12	15.40	15.15	18	15.28	14.82
+25	15.34	15.15	+25	15.32	14.85
+50	15.48	15.30	+50	15.40	14.90
+75	15.37	15.75	+75	15.32	15.00
13	15.23	16.20	19	15.25	15.00
+25	15.07	16.30	+25	15.35	15.25
+50	14.95	16.35	+50	15.50	15.40
+75	15.18	15.88	+75	15.62	15.25



	LT.	RT.	
20	+00	15.62	15.18
	+25	15.68	15.20
	+50	15.75	15.18
	+75	15.65	15.25
21		15.65	15.25
	+25	15.38	15.45
	+50	15.17	15.58
	+75	15.03	15.55
22		15.03	15.73
	+25	15.00	15.75
	+50	15.08	15.88
	+75	15.10	15.82
23		15.10	15.75
	+25	15.25	15.33
	+50	15.30	14.97
	+75	15.44	14.70
24		15.60	14.53





MAY 1, 1929.

PROJ # 28-01A.

SETTLEMENT LEVELS FROM STA.

8+00 TO STA. 24+00.

STA + H.I. - ELEV.

B.M. 2.97 849.42 846.45 ✓

8 + 00

+25

+50

+75

9 + 00

+25

+50

+75

10 + 00

+25

+50

+75

11 + 00

+25

+50

+75

12 + 00

+25

+50

+75

13 + 00

+25

+50

+75

14 + 00

5.43 848.52 6.33 843.09 ✓

	LT ROD	LT ELEV	♀ ROD	♀ ELEV	RT ROD	RT ELEV	5-1-29
	1.15	848.27	1.03	848.39	1.23	848.19	
	1.75	47.67	1.52	47.90	1.70	47.72	
	2.42	47.00	2.06	47.36	2.17	47.25	
	2.81	46.61	2.59	46.83	2.72	46.70	
	3.28	46.14	3.03	46.39	3.22	46.20	
	3.71	45.71	3.53	45.89	3.78	45.64	
	4.09	45.33	3.88	45.54	4.17	45.25	
	4.52	44.90	4.26	45.16	4.51	44.91	
	4.95	44.47	4.65	44.77	4.88	44.54	
	5.41	44.01	5.05	44.37	5.33	44.09	
	5.88	43.54	5.36	44.06	5.68	43.74	
	6.30	43.12	5.73	43.69	6.04	43.38	
	6.63	42.79	6.17	43.25	6.39	43.03	
	6.84	42.58	6.54	42.88	6.73	42.69	
	7.01	42.41	6.62	42.80	6.73	42.49	
	7.08	42.34	6.74	42.68	6.75	42.47	
	7.32	42.10	6.74	42.68	6.91	42.51	
	7.39	42.03	6.57	42.85	6.82	42.60	
	7.34	42.08	6.44	42.98	6.68	42.74	
	7.13	42.29	6.34	43.06	6.68	42.74	
	7.00	42.42	6.44	42.98	6.80	42.62	
	7.00	42.42	6.51	42.91	6.78	42.54	
	7.02	42.40	6.55	42.87	6.87	42.55	
	6.97	42.45	6.50	42.92	6.78	42.64	
	6.91	42.71	6.36	43.06	6.62	42.80	

STA + M. I. - ELEV.

84852

+25

+40

+75

15 + 00

+25

+50

+75

16 + 00

13. M. 4.21 84849 ✓ 4.21 844.31 844.28 ✓

+25

+50

+75

17 + 00

+25

+50

+75

18 + 00

+25

+50

+75

19 + 00

+25

+50

+75

20 + 00

LT. ROD	LT. ELEV	Q ROD	Q ELEV	RT. ROD	RT. ELEV
5.57	42.95	5.33	43.19	5.47	43.05
5.52	43.00	5.32	43.20	5.47	43.05
5.45	43.07	5.25	43.27	5.40	43.12
5.31	43.21	5.18	43.34	5.31	43.21
5.25	43.27	5.04	43.48	5.23	43.29
5.11	43.41	4.95	43.57	5.14	43.38
4.95	43.57	4.80	43.72	4.99	43.53
4.88	43.64	4.65	43.87	4.78	43.74
4.84	43.65	4.50	43.99	4.54	43.95
4.76	43.73	4.41	44.08	4.44	44.05
4.67	43.82	4.35	44.14	4.42	44.07
4.56	43.93	4.29	44.20	4.44	44.05
4.49	44.00	4.33	44.16	4.47	44.02
4.62	43.87	4.41	44.08	4.60	43.89
4.76	43.73	4.56	43.93	4.76	43.73
4.93	43.56	4.68	43.81	4.90	43.59
5.10	43.39	4.80	43.69	5.05	43.44
5.09	43.40	4.89	43.60	5.10	43.39
5.16	43.33	4.92	43.57	5.20	43.29
5.17	43.32	4.96	43.53	5.20	43.29
5.20	43.29	4.97	43.52	5.25	43.24
5.23	43.26	5.01	43.48	5.24	43.25
5.29	43.20	4.88	43.61	5.22	43.27
5.22	43.27	4.88	43.61	5.10	43.39

STA + H.I. - ELEV.

848.49 ✓

+25

+50

+75

21 +00

+25

+50

+75

22 +00

+25

+50

9.58 857.60 ✓ 0.47 848.02 ✓

+75

23 +00

+25

+50

+75


24 +00

B.M.

1.77 855.93 855.90 ✓

LT. ROD	LT. ELEV.	Q ROD	Q ELEV.	RT. ROD.	RT. ELEV
5.11	843.28	4.86	843.63	5.12	843.37
5.02	43.47	4.69	43.80	4.96	43.53
4.76	43.73	4.38	44.11	4.77	43.72
4.47	44.07	4.13	44.36	4.40	44.09
4.13	44.36	3.84	44.65	4.18	44.31
3.79	44.70	3.58	44.91	3.78	44.61
3.27	45.22	3.16	45.33	3.31	45.18
2.62	45.87	2.48	46.01	2.66	45.83
1.70	46.79	1.56	46.93	1.80	46.69
0.66	47.83	0.56	47.93	0.84	47.65
8.74	848.86	8.62	848.98	8.75	848.65
7.80	49.80	7.65	49.95	7.94	49.66
6.90	50.70	6.72	50.88	6.92	50.68
6.06	51.54	5.78	51.82	5.99	51.61
5.24	52.36	5.03	52.57	5.11	52.49
4.35	53.25	4.14	53.46	4.27	53.33

CHK. by H. L. Wilshusen



JUNE 1, 1928

PROJ # 28-01 "A"

SETTLEMENT LEVELS FROM STA

8+00 TO STA 24+00.

STA	+	H.I.	-	ELEV.
B.M.	4.52	850.97		846.45
8 + 00				
	+25			
	+50			
	+75			
9 + 00				
	+25			
	+50			
	+75			
10 + 00				
	+25			
	+50			
	+75			
11 + 00				
	+25			
	5.56	848.15	8.38	842.59
	+50			
	+75			
12 + 00				
	+25			
	+50			
	+75			
13 + 00				
	+25			
	+50			
	+75			

LT. R.O.D	LT. ELEV	♀ R.O.D	♀ ELEV	NT. R.O.D	NT. ELEV
					6-1-29
2.70	48.27	2.60	48.37	2.79	48.19
3.30	47.67	3.08	47.89	3.26	47.71
3.97	47.00	3.60	47.37	3.72	47.25
4.37	46.60	4.13	46.84	4.27	46.70
4.83	46.14	4.60	46.37	4.78	46.19
5.26	45.71	5.08	45.89	5.35	45.62
5.65	45.32	5.43	45.54	5.73	45.24
6.08	44.89	5.82	45.15	6.08	44.89
6.52	44.45	6.22	44.75	6.44	44.53
6.98	43.99	6.62	44.35	6.90	44.07
7.48	43.49	6.94	44.03	7.24	43.73
7.88	43.09	7.30	43.67	7.59	43.38
8.23	42.74	7.74	43.23	7.96	43.01
8.39	42.58	8.10	42.87	8.26	42.71
5.73	42.42	5.35	42.80	5.65	42.50
5.82	42.33	5.46	42.69	5.69	42.46
6.06	42.09	5.46	42.69	5.63	42.52
6.17	41.98	5.29	42.86	5.55	42.60
6.11	42.04	5.18	42.97	5.43	42.72
5.88	42.27	5.10	43.05	5.42	42.73
5.75	42.40	5.14	42.97	5.52	42.63
5.74	42.41	5.24	42.89	5.63	42.52
5.76	42.37	5.29	42.86	5.62	42.53
5.72	42.43	5.24	42.91	5.52	42.63

STN. + M.I. ✓ - ELEV.

848.15

14 + 00

+25

+50

+75

15 + 00

+25

+50

+75

16 + 00

B.M. 1

3.87 844.28 844.28 ✓

+25

+50

+75

17 + 00

+25

+50

5.28 849.25 ✓ 4.18 843.97 ✓

+75

18 + 00

+25

+50

+75

19 + 00

+25

+50

Lt. Rd	Lt. ELEV	E Rd	E ELEV	E Rd	E Rd
					6-1-29
5.45	42.70	5.10	43.05	5.38	42.77
5.21	42.94	4.98	43.17	5.12	43.03
5.19	42.96	4.95	43.20	5.12	43.03
5.11	43.04	4.96	43.25	5.05	43.10
4.77	43.18	4.83	43.32	4.97	43.18
4.90	43.25	4.71	43.44	4.89	43.26
4.78	43.37	4.60	43.55	4.79	43.36
4.60	43.55	4.45	43.70	4.65	43.50
4.55	43.60	4.30	43.85	4.49	43.71

4.50	43.65	4.15	44.00	4.22	43.93
4.44	43.71	4.06	44.09	4.10	44.05
4.33	43.82	4.01	44.14	4.10	44.05
4.22	43.93	3.95	44.20	4.10	44.05
4.15	44.00	3.98	44.17	4.12	44.03
4.30	43.85	4.08	44.07	4.25	43.90

5.50	43.75	5.30	43.95	5.50	43.75
5.65	43.60	5.42	43.83	5.64	43.61
5.85	43.40	5.53	43.72	5.79	43.46
5.82	43.43	5.64	43.61	5.85	43.40
5.90	43.35	5.66	43.59	5.95	43.30
5.91	43.34	5.70	43.55	5.93	43.32
5.95	43.30	5.71	43.54	6.01	43.24
5.97	43.28	5.74	43.49	6.00	43.25

STA.      +      H.I. ✓      -      ELEV.

849.25

+75

20 +00

+25

+50

+75

21 +00

+25

+50

+75

22 +00

+25

+50

+75

8.07      857.03 ✓      0.31      848.94 ✓

23 +00

+25

+50


+75

24 +00

B.M.

1.19      855.84 ✓

LT. ROD.	LT. ELEV.	E. ROD	RT. ELEV.	RT. ROD	RT. ELEV.
					6-1-29
6.04	43.21	5.62	43.63	5.98	43.27
5.97	43.26	5.62	43.63	5.86	43.39
5.87	43.38	5.60	43.65	5.87	43.38
5.79	43.46	5.45	43.80	5.72	43.53
5.52	43.73	5.12	44.13	5.54	43.71
5.23	44.02	4.87	44.38	5.16	44.09
4.88	44.37	4.60	44.65	4.93	44.32
4.54	44.71	4.32	44.93	4.65	44.62
4.02	45.23	3.90	45.35	4.06	45.19
3.36	45.89	3.22	46.03	3.40	45.85
2.45	46.80	2.30	46.95	2.54	46.71
1.40	47.85	1.31	47.94	1.59	47.66
0.38	48.87	0.26	48.99	0.58	48.67
7.25	49.78	7.10	49.93	7.38	49.65
6.32	50.71	6.14	50.89	6.34	50.69
5.47	51.56	5.20	51.83	5.42	51.61
4.65	52.38	4.42	52.61	4.52	52.51
3.75	53.28	3.54	53.49	3.67	53.36



July 1, 1929.

PROJ H 28-01 "A"

SETTLEMENT LEVELS FROM STA.  
8100 TO STA. 24100.

STATION	+	H.I.	-	ELEV.
B.M.	5.63	850.18		846.45

8+00  
+25  
+50  
+75

9+00  
+25  
+50  
+75

10+00  
+25  
+50  
+75

11+00  
4.16 847.19 7.05 843.03

+25  
+50  
+75  
12+00

+25  
+50  
+75  
13+00

+25  
+50  
+75

LT R.O.P	LT ELEV	Q R.O.P	Q ELEV	RT R.O.P	RT ELEV
1.81	48.27	1.69	48.39	1.89	48.19
2.40	47.68	2.17	47.91	2.36	47.72
3.08	47.00	2.71	47.37	2.83	47.25
3.47	46.61	3.24	46.84	3.38	46.70
3.92	46.16	3.69	46.39	3.89	46.19
4.36	45.72	4.19	45.89	4.46	45.62
4.75	45.33	4.53	45.55	4.84	45.24
5.19	44.89	4.91	45.17	5.18	44.90
5.63	44.45	5.32	44.76	5.54	44.54
6.09	43.99	6.71	43.37	6.00	44.08
6.53	43.55	6.02	44.06	6.34	43.74
6.97	43.11	6.39	43.69	6.71	43.37
7.30	42.78	6.83	43.25	7.06	43.02
4.62	42.57	4.31	42.88	4.51	42.68
4.80	42.39	4.40	42.79	4.73	42.46
4.87	42.32	4.51	42.68	4.75	42.46
5.12	42.07	4.50	42.69	4.70	42.49
5.21	41.98	4.33	42.86	4.60	42.59
5.15	42.04	4.20	42.99	4.46	42.73
4.92	42.27	4.12	43.07	4.45	42.74
4.77	42.42	4.21	42.98	4.53	42.64
4.77	42.42	4.28	42.91	4.66	42.53
4.80	42.39	4.32	42.87	4.64	42.55
4.76	42.43	4.25	42.94	4.56	42.63

37A. + H.I. - ELEV.

847.19 ✓

14 + 00

+25

+50

+75

15 + 00

+25

+50

+75

16 + 00

P.M.

3.89

848.17 ✓

2.89

844.30 ✓

844.28

+25

+50

+75

17 + 00

+25

+50

+75

18 + 00

+25

+50

+75

19 + 00

+25

+50

+75

LT ROD	LT ELEV	♀ ROD	♀ ELEV	RT. ROD	RT. ELEV
4.48	42.71	4.12	43.07	4.41	42.78
4.54	42.95	4.00	43.19	4.14	43.05
4.21	42.98	3.98	43.21	4.15	43.04
4.14	43.05	3.93	43.26	4.08	43.11
3.99	43.20	3.85	43.34	4.00	43.19
3.91	43.28	3.73	43.46	3.90	43.29
3.80	43.39	3.62	43.57	3.82	43.37
3.63	43.56	3.48	43.71	3.68	43.51
3.57	43.62	3.32	43.87	3.45	43.74
4.52	43.65	4.18	43.99	4.24	43.93
4.46	43.71	4.10	44.07	4.14	44.03
4.35	43.82	4.03	44.14	4.12	44.05
4.24	43.93	3.98	44.19	4.13	44.04
4.17	44.00	4.01	44.16	4.16	44.01
4.31	43.86	4.10	44.07	4.29	43.88
4.45	43.72	4.24	43.93	4.46	43.71
4.61	43.56	4.36	43.81	4.59	43.58
4.80	43.37	4.49	43.68	4.74	43.43
4.80	43.37	4.58	43.59	4.80	43.37
4.84	43.33	4.60	43.57	4.89	43.28
4.85	43.32	4.64	43.53	4.89	43.28
4.90	43.27	4.65	43.52	4.96	43.21
4.92	43.25	4.70	43.47	4.95	43.22
4.99	43.18	4.57	43.60	4.93	43.24

STA. + H.I. - ELEV

848.17

20 +00

+45

+50

+75

21 +00

10.29 854.56 3.90 844.27

+25

+50

+75

22 +00

+25

+50

+75

23 +00

+25

+50

+75


24 +00

3.70 856.80 1.96 853.10

B.M.

0.97 855.83

LT. ROP	LT. ELEY	Q. ROP	E ELEY	RT. ROP	RT. ELEY
4.93	43.24	4.56	43.61	4.80	43.37
4.83	43.34	4.55	43.62	4.82	43.35
4.74	43.43	4.58	43.79	4.67	43.50
4.47	43.70	4.05	44.12	4.47	43.70
4.18	43.99	3.81	44.36	4.11	44.06
10.22	44.34	9.92	44.64	10.29	44.27
9.87	44.69	7.66	44.90	9.98	44.58
9.35	45.21	9.25	45.31	9.43	45.13
8.69	45.87	8.56	46.00	8.76	45.80
7.78	46.78	7.66	46.90	7.90	46.66
6.72	47.84	6.67	47.89	6.94	47.62
5.70	48.86	5.60	48.96	5.94	48.62
4.77	49.79	4.64	49.92	4.93	49.63
3.86	50.70	3.70	50.86	3.90	50.66
3.02	51.54	2.76	51.80	2.96	51.60
2.18	52.38	2.00	52.56	2.09	52.47
1.27	53.29	1.08	53.48	1.22	53.34



AUGUST 3, 1929

PROJ # 28-01A

SETTLEMENT LEVELS FROM STA.  
8+00 TO STA. 24+00

Sta.	+	H.I.	-	Elev
B.M.	1.98	848.43 ✓		846.45
8+00				
+25				
+50				
+75				
9+00				
+25				
+50				
+75				
10+00				
+25				
+50				
+75				
11+00				
+25				
+50				
+75				
12				
+25				
+50				
+75				
13				
+25				
+50				
+75				
14	5.99	849.02 ✓	5.40	843.03 ✓

LT POD	LT ELEV	Q POD	Q ELEV	RT POD	RT ELEV
0.15	48.28	0.05	48.38	0.22	48.21
0.75	47.68	0.55	47.88	0.70	47.73
1.43	47.00	1.08	47.35	1.18	47.25
1.82	46.61	1.59	46.84	1.72	46.71
2.28	46.15	2.04	46.39	2.24	46.19
2.70	45.73	2.53	45.90	2.80	45.63
3.10	45.33	2.88	45.55	3.20	45.23
3.54	44.89	3.26	45.17	3.52	44.91
3.98	44.45	3.67	44.76	3.90	44.53
4.45	43.98	4.08	44.35	4.37	44.06
4.92	43.51	4.38	44.05	4.70	43.73
5.33	43.10	4.74	43.69	5.07	43.36
5.67	42.76	5.19	43.24	5.42	43.01
5.90	42.53	5.56	42.87	5.76	42.67
6.06	42.37	5.64	42.79	5.98	42.45
6.14	42.29	5.76	42.67	5.99	42.44
6.40	42.03	5.75	42.68	5.94	42.49
6.50	41.93	5.59	42.84	5.86	42.57
6.44	41.99	5.46	42.97	5.72	42.71
6.20	42.23	5.39	43.04	5.71	42.72
6.04	42.39	5.47	42.96	5.83	42.60
6.05	42.38	5.54	42.89	5.91	42.52
6.05	42.38	5.55	42.88	5.90	42.53
6.04	42.39	5.50	42.93	5.80	42.63
5.75	42.68	5.38	43.05	5.66	42.77

Sta. + H.I. - Elev

849.02 ✓

+25

+50

+75

15

+25

+50

+75

16

B.M.

4.71

844.31 ✓

+25

+50

+75

17

+25

+50

+75

18

+25

+50

+75

19

+25

+50

+75

20

T.P.

7.42

851.40 ✓

5.04

843.98 ✓

Lt Rod	Lt Elev	Rod	Elev	Rt Rod	Rt Elev.
6.05	42.97	5.80	43.22	5.95	43.07
6.03	42.99	5.79	43.23	5.95	43.07
5.95	43.07	5.74	43.28	5.89	43.13
5.80	43.22	5.65	43.37	5.80	43.22
5.72	43.30	5.54	43.48	5.71	43.31
5.61	43.41	5.43	43.59	5.64	43.38
5.44	43.58	5.29	43.73	5.51	43.51
5.40	43.62	5.15	43.87	5.29	43.73
5.35	43.67	5.00	44.02	5.06	43.96
5.28	43.74	4.92	44.10	4.95	44.07
5.18	43.84	4.86	44.16	4.95	44.07
5.07	43.95	4.80	44.22	4.95	44.07
5.00	44.02	4.84	44.18	4.99	44.03
5.14	43.88	4.94	44.08	5.15	43.87
5.29	43.73	5.08	43.94	5.30	43.72
5.45	43.57	5.20	43.82	5.43	43.59
5.64	43.38	5.32	43.70	5.58	43.44
5.62	43.40	5.41	43.61	5.64	43.38
5.69	43.33	5.44	43.58	5.74	43.28
5.70	43.32	5.48	43.54	5.73	43.29
5.74	43.28	5.50	43.52	5.80	43.22
5.77	43.25	5.55	43.47	5.80	43.22
5.84	43.18	5.41	43.61	5.77	43.25
5.80	43.22	5.40	43.62	5.64	43.38

Sta	+	H.I.	-	Elev
-----	---	------	---	------

20

851.40 ✓

+25

+50

+75

21

+25

+50

+75

22

+25

+50

+75

23

T.P.

7.75

57.94

851.74

1.41

849.99 ✓

+25

+50

+75


24

B.M.

1.91

855.83 ✓

Lt Rod	Lt Elev	E Rod	E Elev.	Rt Rod	Rt Elev
8.06	43.34	7.76	43.64	8.04	43.36
7.96	43.44	7.60	43.80	7.88	43.52
7.70	43.70	7.27	44.13	7.68	43.72
7.41	43.99	7.05	44.35	7.32	44.08
7.06	44.34	6.75	44.65	7.11	44.29
6.71	44.69	6.50	44.90	6.82	44.58
6.19	45.21	6.08	45.32	6.25	45.15
5.54	45.86	5.39	46.01	5.59	45.81
4.63	46.77	4.50	46.90	4.74	46.66
3.57	47.83	3.50	47.90	3.78	47.62
2.55	48.85	2.44	48.96	2.78	48.62
1.61	49.79	1.46	49.94	1.76	49.64
7.04	50.70	6.86	50.88	7.08	50.66
6.19	51.55	5.94	51.80	6.15	51.59
5.38	52.36	5.19	52.55	5.26	52.48
4.46	53.26	4.21	53.53	4.41	53.33



U2506