


STATEMENT OF ESTIMATED QUANTITIES

CLASS	ITEM	UNIT	MILE From To	MILE From To	MILE From To	MILE From To	MILE From To	MILE From To	MILE From To	MILE From To	MILE From To	MILE From To	TOTAL ESTIMATED QUANTITIES
GRADING	1	Clearing	Trees										
	2	Grubbing	Trees										
	3	Clearing	Acres										
	4	Grubbing	Acres										
	5	Excavation Earth	Cu. Yds.										
	6	Excavation Loose Rock	Cu. Yds.										
	7	Excavation Solid Rock	Cu. Yds.										
	8	Excavation Overhaul	Cu. Yds.										
	9	Excavation Special	Cu. Yds.										
	10	Excavation Hand Ditch	Cu. Yds.										
	11	Install 12" C.M.	Lin. Ft.										
	12	Install 15" C.M.	Lin. Ft.										
	13	Install 18" C.M.	Lin. Ft.										
	14	Install 24" C.M.	Lin. Ft.										
	15	Install	Lin. Ft.										
	16	Install	Lin. Ft.										
	17	Install 18" P ₃	Lin. Ft.										
	18	Install 24" P ₃	Lin. Ft.										
	19	Install 30" P ₃	Lin. Ft.										
	20	Install 36" P ₃	Lin. Ft.										
	21	Install	Lin. Ft.										
	22	Install	Lin. Ft.										
	23	Remove Old Culvert	Lin. Ft.										
	24	Replace Old Culvert	Lin. Ft.										
	25	Finishing and Seeding	100 Sq.Yds.										
	26	Rubble Gutter	Cu. Yds.										
	27	Headwall Concrete	Cu. Yds.										
	28	Headwall Steel	Lbs.										
	29												
	30												
	31												
	32												
C.M. CULVERTS	1	Furnish 12" C.M.	Lin. Ft.										
	2	Furnish 15" C.M.	Lin. Ft.										
	3	Furnish 18" C.M.	Lin. Ft.										
	4	Furnish 24" C.M.	Lin. Ft.										
	5	Furnish	Lin. Ft.										
	6	Furnish	Lin. Ft.										
	7	Furnish 12" C.M. Band	Each										
	8	Furnish 15" C.M. Band	Each										
	9												
	10												
P ₃ CULVERTS	1	Furnish 18" P ₃	Lin. Ft.										
	2	Furnish 24" P ₃	Lin. Ft.										
	3	Furnish 30" P ₃	Lin. Ft.										
	4	Furnish 36" P ₃	Lin. Ft.										
	5												
GUARD RAIL	1	Guard Rail - Cable	Lin. Ft.										
	2	Guard Rail Anchors	Each										
	3	Dummy Posts	Each										
	4												
SIDEWALKS AND CURBING	1	Concrete Curb - Straight	Lin. Ft.										
	2	Concrete Curb - Radius	Lin. Ft.										
	3	Remove Old Curb	Lin. Ft.										
	4	Remove Old Curb and Gutter	Lin. Ft.										
	5	Remove Old Sidewalk	Sq. Ft.										
	6	Replace Old Sidewalk	Sq. Ft.										
	7	Construct New Sidewalk	Sq. Ft.										
	8	Curb Inlet	Each										
	9	Catch Basin Complete	Each										
	10												
	11												
	12												
SEWER	1	12" Vitrified Sewer Pipe	Lin. Ft.										
	2	15" Vitrified Sewer Pipe	Lin. Ft.										
	3	18" Vitrified Sewer Pipe	Lin. Ft.										
	4	20" Vitrified Sewer Pipe	Lin. Ft.										
	5	24" Vitrified Sewer Pipe	Lin. Ft.										
	6	Manhole Complete	Each										
	7	Catch Basin Complete	Each										
8													
9													
10													
PAVEMENT	1	Pavement - 1 Course Conc.	Sq. Yds.										
	2	Pavement - Asphaltic Conc.	Sq. Yds.										
	3	Integral Curb 8"	Lin. Ft.										
	4	Integral Curb 12"	Lin. Ft.										
	5	Surface Drain	Each										
	6	Surface Drain Basin	Each										
	7	Shoulders - Earth	Lin. Ft.										
	8												
STRUCTURES	1	Concrete	Cu. Yds.										
	2	Reinforcing Steel	Lbs.										
	3	Excavation	Cu. Yds.										
	4	Piling	Lin. Ft.										
	5												
	6												
	7												
	8												
	9												
	10												

DETAILS



TYPICAL SECTION

NOTE: Black Top Is Not To Be Disturbed.


OFFICE OF
 RAMSEY COUNTY SURVEYOR
 HARRY S. BRONSON
 GRADING PLAN OF
BELLAIRE AVE.
 CO. RD. "E" TO CO. RD. "F"
 SCALE AS SHOWN NOV. 1937

PLANS APPROVED 11/20 1937 *Harry S. Bronson*
 COUNTY SURVEYOR
 APPROVED 11/23 1937 *W. J. ...*
 VICE CHAIRMAN OF COUNTY BOARD
 PLANNED BY 11-20 1937 *A. D. Crampton*
 OFFICE ENGINEER

STATEMENT OF ESTIMATED QUANTITIES

CLASS	ITEM	UNIT	MILE From To	MILE From To	MILE From To	MILE From To	MILE From To	MILE From To	MILE From To	MILE From To	MILE From To	MILE From To	MILE From To	TOTAL ESTIMATED QUANTITIES	
GRADING	1	Clearing	Trees												
	2	Grubbing	Trees												
	3	Clearing	Acres												
	4	Grubbing	Acres												
	5	Excavation Earth	Cu. Yds.												
	6	Excavation Loose Rock	Cu. Yds.												
	7	Excavation Solid Rock	Cu. Yds.												
	8	Excavation Overhaul	Cu. Yds.												
	9	Excavation Special	Cu. Yds.												
	10	Excavation Hand Ditch	Cu. Yds.												
	11	Install 12" C.M.	Lin. Ft.												
	12	Install 15" C.M.	Lin. Ft.												
	13	Install 18" C.M.	Lin. Ft.												
	14	Install 24" C.M.	Lin. Ft.												
	15	Install	Lin. Ft.												
	16	Install	Lin. Ft.												
	17	Install 18" Ps	Lin. Ft.												
	18	Install 24" Ps	Lin. Ft.												
	19	Install 30" Ps	Lin. Ft.												
	20	Install 36" Ps	Lin. Ft.												
	21	Install	Lin. Ft.												
	22	Install	Lin. Ft.												
	23	Remove Old Culvert	Lin. Ft.												
	24	Replace Old Culvert	Lin. Ft.												
	25	Finishing and Seeding	100 Sq. Yds.												
	26	Rubble Gutter	Cu. Yds.												
	27	Headwall Concrete	Cu. Yds.												
	28	Headwall Steel	Lbs.												
	29														
	30														
	31														
	32														
C.M. CULVERTS	1	Furnish 12" C.M.	Lin. Ft.												
	2	Furnish 15" C.M.	Lin. Ft.												
	3	Furnish 18" C.M.	Lin. Ft.												
	4	Furnish 24" C.M.	Lin. Ft.												
	5	Furnish	Lin. Ft.												
	6	Furnish	Lin. Ft.												
	7	Furnish 12" C.M. Band	Each												
	8	Furnish 15" C.M. Band	Each												
	9														
	10														
P ₃ CULVERTS	1	Furnish 18" Ps	Lin. Ft.												
	2	Furnish 24" Ps	Lin. Ft.												
	3	Furnish 30" Ps	Lin. Ft.												
	4	Furnish 36" Ps	Lin. Ft.												
	5														
	6														
GUARD RAIL	1	Guard Rail - Cable	Lin. Ft.												
	2	Guard Rail Anchors	Each												
	3	Dummy Posts	Each												
	4														
SIDEWALKS AND CURBING	1	Concrete Curb - Straight	Lin. Ft.												
	2	Concrete Curb - Radius	Lin. Ft.												
	3	Remove Old Curb	Lin. Ft.												
	4	Remove Old Curb and Gutter	Lin. Ft.												
	5	Remove Old Sidewalk	Sq. Ft.												
	6	Replace Old Sidewalk	Sq. Ft.												
	7	Construct New Sidewalk	Sq. Ft.												
	8	Curb Inlet	Each												
	9	Catch Basin Complete	Each												
	10														
	11														
	12														
SEWER	1	12" Vitrified Sewer Pipe	Lin. Ft.												
	2	15" Vitrified Sewer Pipe	Lin. Ft.												
	3	18" Vitrified Sewer Pipe	Lin. Ft.												
	4	20" Vitrified Sewer Pipe	Lin. Ft.												
	5	24" Vitrified Sewer Pipe	Lin. Ft.												
	6	Manhole Complete	Each												
	7	Catch Basin Complete	Each												
8															
9															
10															
PAVEMENT	1	Pavement - 1 Course Conc.	Sq. Yds.												
	2	Pavement - Asphaltic Conc.	Sq. Yds.												
	3	Integral Curb 6"	Lin. Ft.												
	4	Integral Curb 12"	Lin. Ft.												
	5	Surface Drain	Each												
	6	Surface Drain Basin	Each												
	7	Shoulders - Earth	Lin. Ft.												
	8														
STRUCTURES	1	Concrete	Cu. Yds.												
	2	Reinforcing Steel	Lbs.												
	3	Excavation	Cu. Yds.												
	4	Piling	Lin. Ft.												
	5														
6															
7															
8															
9															
10															

DETAILS




TYPICAL SECTION

NOTE: USE 4:1 BACK SLOPE BETWEEN STA. 64+00 & 70+40 - EXCEPT BETWEEN STA. 68+00 & 70+40 HOLD BACK SLOPE TO 3:1 RIGHT.

OFFICE OF
 RAMSEY COUNTY SURVEYOR
 HARRY S. BRONSON
 GRADING PLAN
 OF
BELLAIRE AVE.
 FROM CO. RD. "F" TO SOUTH SHORE BLVD.
 OCT. 1937 SCALE AS SHOWN


PLANS APPROVED 1937 *Harry S. Bronson*
COUNTY SURVEYOR
 APPROVED 1937 *Wm. W. Nelson*
CHAIRMAN OF COUNTY BOARD

PLAN	DATE
REVISIONS	
NO.	
DATE	
BY	
CHECKED	
APPROVED	
DATE	



NOTE: THE PRESENT SURFACE IS NOT TO BE DISTURBED BETWEEN STA. 52+85 & STA. 61+50, ALSO BETWEEN STA. 66+50 & STA. 70+67. BETWEEN STA. 61+50 & 66+50 THE PRESENT SURFACE IS TO BE REMOVED & STOCKPILED & REPLACED ON THE FINISHED GRADE.

PROFILE	DATE
REVISIONS	
NO.	
DATE	
BY	
CHECKED	
APPROVED	
DATE	



ESTIMATED QUANTITIES

Excav.	Cu. Yds. 5011
Waste	Cu. Yds. 662

Waste 662 Cu. Yds. to be disposed of as directed by the Engineer.