



STATEMENT OF ESTIMATED QUANTITIES

CLASS	ITEM	UNIT	MILE From To	MILE From To	MILE From To	MILE From To	MILE From To	MILE From To	MILE From To	MILE From To	MILE From To	MILE From To	TOTAL ESTIMATED QUANTITIES
GRADING	1	Clearing	Trees										
	2	Grubbing	Trees										
	3	Clearing	Acres										
	4	Grubbing	Acres										
	5	Excavation	Earth	Cu. Yds.									
	6	Excavation	Loose Rock	Cu. Yds.									
	7	Excavation	Solid Rock	Cu. Yds.									
	8	Excavation	Overhaul	Cu. Yds.									
	9	Excavation	Borrow	Cu. Yds.	144								
	10	Excavation	Hand Ditch	Cu. Yds.									
	11	Install	12" C.M.	Lin. Ft.									
	12	Install	15" C.M.	Lin. Ft.									
	13	Install	18" C.M.	Lin. Ft.									
	14	Install	24" C.M.	Lin. Ft.									
	15	Install		Lin. Ft.									
	16	Install		Lin. Ft.									
	17	Install	18" Ps	Lin. Ft.									
	18	Install	24" Ps	Lin. Ft.									
	19	Install	30" Ps	Lin. Ft.									
	20	Install	36" Ps	Lin. Ft.									
	21	Install		Lin. Ft.									
	22	Install		Lin. Ft.									
	23	Remove Old Culvert		Lin. Ft.									
	24	Replace Old Culvert		Lin. Ft.									
	25	Finishing and Seeding		100 Sq.Yds.									
	26	Rubble Gutter		Cu. Yds.									
	27	Headwall	Concrete	Cu. Yds.									
	28	Headwall	Steel	Lbs.									
	29												
	30												
	31												
	32												
C.M. CULVERTS	1	Furnish 12" C.M.	Lin. Ft.										
	2	Furnish 15" C.M.	Lin. Ft.										
	3	Furnish 18" C.M.	Lin. Ft.	12									
	4	Furnish 24" C.M.	Lin. Ft.										
	5	Furnish	Lin. Ft.										
	6	Furnish	Lin. Ft.										
	7	Furnish 12" C.M. Bond	Each										
	8	Furnish 15" C.M. Bond	Each										
	9												
	10												
P3 CULVERTS	1	Furnish 18" Ps	Lin. Ft.										
	2	Furnish 24" Ps	Lin. Ft.										
	3	Furnish 30" Ps	Lin. Ft.										
	4	Furnish 36" Ps	Lin. Ft.										
	5												
	6												
GUARD RAIL	1	Guard Rail - Cable	Lin. Ft.										
	2	Guard Rail Anchors	Each										
	3	Dummy Posts	Each										
	4												
SIDEWALKS AND CURBING	1	Concrete Curb - Straight	Lin. Ft.										
	2	Concrete Curb - Radius	Lin. Ft.										
	3	Remove Old Curb	Lin. Ft.										
	4	Remove Old Curb and Gutter	Lin. Ft.										
	5	Remove Old Sidewalk	Sq. Ft.										
	6	Replace Old Sidewalk	Sq. Ft.										
	7	Construct New Sidewalk	Sq. Ft.										
	8	Curb Inlet	Each										
	9	Catch Basin Complete	Each	1									
	10	Gravel - Pea	Cu. Yds.	50									
	11	Oil	Gal.	900									
	12	Cut-back	Cu. Yd.	100									
SEWER	1	12" Vitrified Sewer Pipe	Lin. Ft.										
	2	15" Vitrified Sewer Pipe	Lin. Ft.										
	3	18" Vitrified Sewer Pipe	Lin. Ft.										
	4	20" Vitrified Sewer Pipe	Lin. Ft.										
	5	24" Vitrified Sewer Pipe	Lin. Ft.										
	6	Manhole Complete	Each										
	7	Catch Basin Complete	Each										
	8												
	9												
	10												
SURFACE	1	Loading Gravel	Cu. Yds.										
	2	Hauling Gravel	C.Y. Mi.										
	3	Shaping & Compacting	Cu. Yds.										
	4	Oil	Gal.										
	5	Cut-back	Cu. Yds.										
	6												
	7												
	8												
STRUCTURES	1	Concrete	Cu. Yds.										
	2	Reinforcing Steel	Lbs.										
	3	Excavation	Cu. Yds.										
	4	Piling	Lin. Ft.										
	5	Wall - Stone	Cu. Yds.	81									
	6												
	7												
	8												
	9												
	10												

DETAILS



PLAN	SURVEYED	DATE
	NOTE BOOK	
	NO. OF WAY CHECKED	
	NO.	



NOTE.
GUARD RAIL TO BE REMOVED
AND REPLACED 2' FROM EDGE
OF WALK.

PROFILE	SURVEYED	DATE
	NOTE BOOK	
	NO. OF WAY CHECKED	
	NO.	





PLATE 1-PLAN-PROFILE OF PAVEMENT
DESIGNED & DRAWN BY: [Name]

PLAN	DESIGNED	BY	DATE
	PLOTTED		
	CHECKED		
	DATE		
	NO.		

PROFILE	SURVEYED	BY	DATE
	PLOTTED		
	CHECKED		
	DATE		
	NO.		



B.M. Spk. P.P.
30' RT. Sta. 0+00
Elev. 866.61

B.M. R.R. Spk. P.P.
So. End Bridge
Elev. 971.44

B.M. Spk. In Arc. Light Pole
Lt. Sta.
Elev. 865.36

